

KahlWaxes for the Pharmaceuticals Industry

Product	Wax	MP/DP °C	Acid Val. mgKOH/g	Sap. Val. mgKOH/g	Penetration 1/10mm/25°C	CAS-No.	Colour	Shape
8109	Beeswax yellow	62-65	17-22	87-102	---	8012-89-3	yellowish, brownish	pellets
8108	Beeswax white	62-65	17-24	87-104	----	8012-89-3	white- yellowish	pellets
2442 K	Carnauba Wax	82-86	2-7	78-95	----	8015-86-9	light yellow	flakes
2442 L	Carnauba Wax (low peroxide value)	82-86	2-7	78-95	----	8015-86-9	light yellow	pellets
7625 P 100	Polishing Wax	78-84	8-18	75-95	----	8015-86-9 8012-89-3	light yellow	powder
2178	Castor wax	83-89	less 4	175-185	---	8001-78-3	whitish	flakes
2851	Microwax	89-95	---	---	ca.10	63231-60-7	white	pellets/ slabs
6089	Microwax	80-86	---	---	ca.16	63231-60-7	white	pellets/ slabs
1847	Microwax	76-82	---	---	ca. 28	64742-60-5	white- yellowish	slabs
1899	Ozokerite	72-79	---	---	ca.15	8002-74-2	white	prills/ pellets